


J. M. DENT ASS. 5. 1260-1280,
1918

PRICE



REPORT OF LABORATORY INVESTIGATIONS ON THE PHYSICAL PROPERTIES OF ROOT FILLING MATERIALS AND THE EFFICIENCY OF ROOT FILLINGS FOR BLOCKING INFECTION FROM STERILE TOOTH STRUCTURES.

By Weston A. Price, M.S., D.D.S.

(*Read before the National Dental Association, Chicago, August, 1918.)

ROOT fillings are castings made within the pulp chambers of teeth. They must conform so exactly to the size and shape of that chamber that neither micro-organisms nor fluids, which may be external to the tooth, can enter or find lodgment. The form of this chamber is complex, uncertain and indeterminate and may vary thru a very wide range, which fact makes it necessary that the root filling material, or a sufficient part of it, be inserted in a moldable and plastic state. The physical properties of the materials used for this purpose are such as to make the

task extremely difficult, even under ideal conditions of pulp chamber and readiness of access. The degree of exactness required is so great that few plastics can fulfill the requirements, since they do not have the same dimensions after taking a condition of set that they have in a moldable state. The problem is rendered still more difficult by the fact that the operator must work in a restricted field, often of very difficult approach and requiring slender, hair-like instruments to be used in curved or tortuous channels, even having islands and bays, and often many estuaries, all of unknown form.

That "a new truth is a new sense" has been abundantly demonstrated in our profession by the changes in methods

*The part of this report which refers to tests of root fillings made in sterile teeth comprises work done in the Research Institute of the N. D. A. by Dr. Milton J. Dambros under the writer's personal guidance, and the balance was conducted elsewhere.

of practice that has demonstrated the effects of the infections on the general individuals. A similar regarding methods and an equally made must follow the truth in the mind the dental profession properties of the which are in general that exceeding general favorable conditions make a casting which has the required of a root acquire a root fill

The materials in general use for upon adaptations variations being used to render it. We have not for dental or otherwise physical properties and the preparation dentistry and it us to work these had this work years and have able to engage the ton C. Miller, Case School of land, a physicist tion. Gutta-per hases similarly and gums. We previous reports erties of wax: gums are like elasticity in the dle them; that, to the same dit ticity released, ative length ei


*Price, The Law Gold in Fusing March, 1911.

*Price, Special of the National D page 110 (Vol. 1,

of practice that have followed the demonstration of the effects of oral focal infections on the general health of individuals. A similar change is in progress regarding methods of root sterilization and an equally marked change of methods must follow the establishment of the truth in the minds of the members of the dental profession that the physical properties of the root filling materials which are in general use today are such that exceeding great skill and effort and favorable conditions are necessary to make a casting within the pulp chamber which has the fundamental qualities required of a root filling. We must acquire a root filling sense.

The materials that have been in most general use for root fillings are based upon adaptations of gutta-percha, the variations being chiefly in the solvents used to render it plastic or semi-plastic. We have not found in the literature, dental or otherwise, data on the involved physical properties of gutta-percha and the preparations of it as used in dentistry and it has been necessary for us to work these out in detail. We have had this work in progress for several years and have been fortunate in being able to engage the assistance of Dr. Dayton C. Miller, Professor of Physics, Case School of Applied Science, Cleveland, a physicist of international reputation. Gutta-percha is a gum and behaves similarly to the various waxes and gums. We have demonstrated, in previous reports on the physical properties of waxes,^{1,2} that the waxes and gums are likely to retain locked elasticity in the form in which we handle them; that, if two pieces of wax cut to the same dimensions have their elasticity released, they may change in relative length eighteen per cent, depend-

ing upon the direction in which the wax was in a condition of stress at the time it was chilled. This is illustrated in Figure 1 in which A represents two pieces of inlay wax which are identical in length and cross section. After they are warmed one has elongated and the other shortened, as shown in B. These are photographs from the actual specimens. The details will be found in the article referred to. We suspected that gutta-percha had corresponding physical properties and one of our first



Two similar wax bars placed in a warm investment and cast. A, Before heating. B, After heating.

Figure 1.

undertakings was to establish the extent to which gutta-percha retains a locked elasticity. One piece of gutta-percha 70x70 mm, on being heated slowly, changed its dimension to 55x76.5 mm. On being raised to the temperature of boiling water the total area contracted 14.7%. The details will be found later in the more technical part of this report by Professor Miller. There was a progressive change in dimension beginning at about 40°C (104°F) and continuing to a temperature of 76°C (169°F). The length of the sheet decreased twenty-one per cent and the width increased twenty-nine per cent. In the second experiment, with another sample of base plate gutta-percha, the area and volume were determined and it was found that, when

¹Price, The Laws Determining the Behavior of Gold in Fading and Casting.—Dental Cosmos, March, 1911.

²Price, Special Researches in Physics.—Journal of the National Dental Association, October, 1914, page 110 (Vol. 1, No. 4).

starting with a piece 70x70 mm, the length decreased to 63 mm and the breadth increased to 72.5 mm; the thickness increased from 0.843 to 0.912; the area decreased from 4900 sq. mm to 4567 sq. mm; the volume increased from 4131 cm to 4165 cm. The intervening dimensions are given later in the report. With this piece the length diminished ten per cent and the breadth increased three per cent. The linear expansion, due to heat, of a piece of heated gutta-percha from which the elasticity had been released was determined and it was found to change from 121.502 mm to 121.797 mm, on being increased in temperature from 25°C (73°F) to 76°C (169°F). But a very important condition is disclosed by comparing the dimension at various temperatures on cooling with the dimension at the same temperature when rising. There is a lag which indicates a different dimension for a given temperature in the cooling process and it probably takes a considerable period of time for this lag to entirely disappear. This corresponds with the hysteresis in a magnetic field. This is graphically shown in the curve in Figure 8 Table 3, of linear expansions which gives the detailed dimensions in the rising and falling temperatures. An additional observation made to determine the change in volume showed that from room temperature to the temperature of boiling water the pink gutta-percha increased in volume 2.4%. A piece of drab gutta-percha treated in the same way increased in volume 2.2%.

The above determinations explain why fluids and infection always enter cavities around gutta-percha fillings, for every gutta-percha filling is from one to two per cent smaller after it has taken the body temperature and its final molecular state than at the time it was molded in the cavity. If we will think of a cavity with a dimension of 5 mm and a volume contraction of 1.5%, which would occur if the gutta-percha

were heated to about 75°C at the time of insertion, the crevice formed by the contraction would be sufficient to permit twenty-five bacteria, each having a diameter of one one-thousandth of a millimeter to enter abreast, and smaller and larger ones in proportion. Linear contraction is one-third volume contraction. For this reason even temporary gutta-percha fillings, if they are to protect dentin from irritation and infection, should always be inserted in cement. We have made determinations of the dimension change when heat is used as a means of making gutta-percha plastic, as follows: Glass cylinders were packed with gutta-percha, made plastic by heat and the gutta-percha submitted to high pressure while cooling. After cooling ink was applied and it readily entered beside the gutta-percha which it could not do while it was hot. Figure 2 is a photograph taken thru the glass tube, which has a diameter of about 5 mm. We cannot maintain pressure on the gutta-percha while cooling in a cavity as was done here and, notwithstanding this maintained pressure which kept the gutta-percha flowing as long as its resistance was less than the maintained pressure, the contraction was sufficient to let the ink penetrate freely around the gutta-percha as shown. The pressure used was approximately the limit of the glass tube and equalled several hundred pounds per square inch. These studies have been primarily to determine the actual and relative efficiency of root fillings made of gutta-percha. We have not included the cements in this series but expect to later. Dr. A. E. Webster, Toronto,³ has studied the efficiency of cements and chloro-percha and gutta-percha and found them all defective. He did a splendid piece of work which has not had proper attention paid to it. The rendering of gutta-percha plastic by means of heat is not

at all adequate it to pulp plasticity, i. of solvents, and oil of. Also chloro in. Studie mine the 1 solvents an

gutta-percha has been used in plastic form of shrinkage controlled by gutta-percha exact observation edge, been made considered in tors and a so oil of eucalypt its stead, as Buckley. Ma

³Webster, Temporary and Permanent Fillings as Barriers to Bacteria.—Dental Review, April, 1903.

at the time of
formed by the con-
ficient to permit
h having a diam-
ndth of a milli-
and smaller and
on. Linear con-
lume contraction.
temporary gutta-
y are to protect
n and infection,
erted in cement.
ations of the di-
heat is used as a
a-percha plastic,
cylinders were
ha, made plastic
percha submitted
olings. After cool-
nd it readily en-
percha which it
was hot. Figure
n thru the glass
meter of about 5
tain pressure on
ooling in a cav-
d, notwithstand-
ssure which kept
g as long as its
the maintained
n was sufficient
e freely around
own. The pres-
nately the limit
equalled several
are inch. These
arily to deter-
lative efficiency
of gutta-percha.
the cements in
o later. Dr. A.
has studied the
d chloro-percha
found them all
dendid piece of
d proper atten-
dering of gutta-
of heat is not

Permanent Fillings as
Review, April, 1903.

at all adequate as a means for molding
it to pulp chambers, and the required
plasticity is usually secured by means
of solvents. For this purpose chloroform
and oil of eucalyptol are chiefly used.
Also chloroform in connection with ro-
sin. Studies have been made to deter-
mine the physical properties of these
solvents and of the combinations of



Figure 2

gutta-percha with them. Chloro-percha
has been used for many years as the
plastic form of gutta-percha and the ex-
cess of shrinkage has been presumably
controlled by the addition of cones of
gutta-percha placed in the liquid. Altho
exact observations had not, to our knowl-
edge, been made, this material has been
considered inefficient by many opera-
tors and a solution of gutta-percha in
oil of eucalyptol was used by them in
its stead, as advocated by Dr. John
Buckley. Many dentists have been us-

ing a solution of chloroform carrying
rosin, to act as a solvent for the gutta-
percha points when introduced and as a
sealing material for the dental tubuli
and foramina, suggested by the late Dr.
Callahan, who has contributed so much
to the problem of root fillings. It must
be remembered that, if the pulp chamber
is filled partly by fluid and partly by
solid, the change in dimension of both
of these must be taken into considera-
tion. Gutta-percha dissolved in chloro-
form, to a consistency of a thick cream
or thick paint, has a volume 300%
greater than that of the original mater-
ial, or, to express it otherwise, if the
pulp chamber is filled with gutta-per-
cha having the consistency of a heavy
paint, when chloroform has evaporated
from it, the chamber will be one-third
full. If we put sufficient gutta-percha
into this paint or cream to occupy 90%
of the total volume, the chamber will
still lack 6.6% of being filled after the
chloroform has disappeared. Probably
one of the greatest errors we have made,
when thinking of gutta-percha in con-
nection with a solvent like chloroform or
eucalyptol, is the presumption that the
softening of the surface of the gutta-
percha cone with chloroform, in order
to make it plastic and moldable to the
form of the canal, does not materially
change its dimension. The dimension
is changed greatly with even a small
amount of chloroform, as shown by these
data. Gutta-percha dissolved in chloro-
form to form a paint has cert in very
definite qualities which we should study.
It has adhesiveness while it contains an
abundance of chloroform but loses this
quality almost completely when the
chloroform disappears from it. Conse-
quently, root fillings made with this as
a solvent tend to leave the walls and
shrink toward a center within the mass,
leaving the space caused by the shrink-
age at the periphery of the mass. It
was, doubtless, to overcome this quality
that Dr. Callahan sought for and de-

Callahan
Method
Chloroform

Chloroform induces
an adhesiveness in the
as long as chloroform is
present.


Buckley
Method
eucalyptol

veloped the rosin-chloroform preparation, and Dr. Buckley the eucapercha compound. Unfortunately the ultimate contraction is very great and corresponds relatively, whether the solvent used is chloroform, oil of eucalyptol, or chloroform carrying rosin. The gutta-percha in oil of eucalyptol (eucapercha), as supplied in the market, has a volume of 417% greater than the volume of the gutta-percha alone. In other words, a pulp chamber filled with eucapercha and submitted to long and complete drying would ultimately have 24% of the total volume of the pulp chamber filled. It solidifies into a lumpy and curdled mass and does not adhere to smooth surfaces. This extreme drying-out process, however, does not occur for a long period of time. After eight weeks of spontaneous air drying at room temperature, it reduces to 87% of the original. During a similar period gutta-percha and chloroform would have diminished to 76% of its original volume. It is only by the addition of artificial heat, which condition the body would furnish, that the rate is hastened. See tables. Moisture does not hasten it. Rosin and chloroform also undergo a very great reduction in volume when mixed to the consistency of a mobile fluid, approximately corresponding with sewing machine oil, as suggested by Dr. Callahan. It has a volume of 406% of the volume of rosin. In other words, if a pulp chamber were filled with a rosin and chloroform solution of the above consistency, it would ultimately only be 24.6% filled. The addition of gutta-percha cones to occupy say 90% of this total volume would still leave approximately 7.5% of the pulp chamber unfilled, when the complete drying out process has occurred. If a gutta-percha cone is placed in this liquid, it very rapidly swells so that it will occupy more space, soon expanding to $\frac{1}{4}$ more or to twice its normal volume, be-

cause of the softening process. The pulp chamber can only contain a given amount of material, whether fluid, semi-fluid or solid, and it is a physical impossibility to put in material to make up for the reduction in volume produced by the evaporation of the solvent, while the solvent is present. It is, therefore, a physical impossibility to completely fill a pulp chamber with gutta-percha made plastic by any of the above solvents, except at the time the gutta-percha contains the solvent. The chloroform and rosin compound has very distinct and favorable qualities in that it is very adherent and tenacious in all stages to both smooth and rough surfaces. It is unlike each of the preceding compounds in this respect. The result of this quality is that when a root filling is made of this material and gutta-percha cones, the contraction tends to express itself, in a large part, by a shrinking towards the walls if dry, rather than as a continuous disc at the side of the mass and between it and the wall, and herein lies the great virtue of this material as a means for filling pulp chambers.

It will be a matter of surprise, doubtless, to most of us to find that a skin is formed on the surface of each chloroform and rosin compound, particularly the latter, which quite effectually delays the drying-out process. In a case of the chloroform and gutta-percha in a narrow chamber this skin or film separates from the vessel or container, leaving a fault which ultimately makes a series of caverns, each projecting from the last until the entire mass is honey-combed. In large chambers it contracts to a central free mass. Chloroform and rosin in a narrow chamber of the same form retains the continuity of the protecting surface skin by its adherence to the wall and underneath this film the liquid retains nearly its original fluidity, due to the control of the vapor tension by this membrane. Consequently, it is not only a matter of weeks but of

many months inserted with pounds will have minimum contraction in an open vessel. The rosin compound had reduced its original volume; in six weeks 36.4% total shrinkage period of time. Artificial heat near water for many months consider the great



canals and the direction is evident that the material must undergo a process of retreating close adhesion to the foramen, instead of a common center fault or space. Multiple foramina and Figure 4. lateral canals filling material. The issue was removed doubtful in the root filling. It completely filled the gutta-percha into them co

ATION.

g process. The contain a given ether fluid, semi-is a physical im-material to make volume produced he solvent, while *It is, therefore, a to completely fill gutta-percha made above solvents, ex-gutta-percha con-chloroform and ery distinct and hat it is very ad-all stages to both faces. It is un-g compounds in lt of this quality lling is made of ta-percha cones, o express itself, rinking towards han as a contin-of the mass and , and herein lies s material as a chambers.*

surprise, doubt-find that a skin of each chloro-chloroform, par-quite effectually ocess. In a case utta-percha in a in or film sepa-container, leav-mately makes a projecting from mass is honey-bers it contracts Chloroform and ber of the same ity of the pro-its adherence to h this film the original fluid-the vapor ten- Consequently, of weeks but of

many months before our root fillings inserted with any of these three compounds will have attained their maximum contraction. After air drying in an open vessel for two weeks rosin-chloroform had reduced to 65% of its original volume; in five weeks 59%; eight weeks 56.4% and the last 12% of the total shrinkage requiring either a long period of time or the addition of artificial heat nearly to the boiling point of water for many hours. When we consider the great variety of forms of pulp




Figure 3.

canals and the variations in size, shape and direction of the many foramina, it is evident that either the root filling material must seal these foramina by a process of retreating while retaining a close adhesion to the surface of the foramen, instead of contracting to a common center of the mass, producing a fault or space. Different types of multiple foramina are shown in Figure 3 and Figure 4. In Figure 3 are seen two lateral canals each containing root filling material. Granting that all the tissue was removed from them, which is doubtful indeed, they would soon after root filling lack considerable of being completely filled, since the solution of gutta-percha which could be forced into them contained so much solvent,

which would in time largely or entirely leave the mass. The space the solvent occupied would be open to periapical fluids either from the tissues or periapical space, unless a sealed joint is formed at the external opening of the canal. This sealing appears to form only on dry surfaces and only with the rosin chloroform of the above three methods. Figure 4 is a specimen made by Dr. Callahan and shows a large number of foramina. He found seventy-



Figure 4.

five in one tooth and several in most teeth.

ROOT FILLING EFFICIENCY TESTS.

During an extended period we have also been making observations and determinations as to the practical results that can be obtained by the various root filling methods for comparison with the above. A large number of extracted teeth that had been root filled months or years previously by splendid operators, were opened after extraction, cultures were taken from the root fillings and dentin, and they were almost universally found to be infected. This, however, did not mean so much, since they were

CONTAMINATION

usually extracted because of known periodontal involvement. We, accordingly, made a series of determinations of the efficiency of root filling materials when placed in sterile teeth to prevent the entrance into the pulp canal and dentin of infection placed externally. In this

work we were assisted by Drs. Milton J. Damlos, on the staff at the Research Institute, and Thomas J. Hill, a practicing dentist, and finally by several dentists who kindly made operations for critical study. The results of these are included in the following tables:

ROOT FILLING EFFICIENCY TESTS.

SERIES NO. I.

69 Sterile teeth used.

Prepared by Dr. D.


Root filled by Dr. D.

Tested and cultured by Dr. D.

Root Filling Materials

Chloro-percha

Gutta-percha

					Efficiency
	A	Cementum showed a streptococcus growth in 15%			85%
	B	Dentin " " " " " 25%			76%
	C	Root filling Apical third " " " 40%			60%
	D	Root filling Middle third " " " 60%			40%
	E	Root filling Gingival third " " " 80%			20%
	F	Dentin			

Note.—Teeth were filled two hours. Gutta-percha points were heated to 180°C for one hour. Chloro-percha was heated in a bath of oil for thirty minutes at fifteen pounds. Root fillings were made under glass. Gingival end of canal was filled with gutta-percha. After root filling, teeth were placed in infected mixed cultures, frequently renewed and incubated for fifteen days at 37°C. Teeth were sterilized externally in full strength formalin and alcohol before opening. These results are immediate before contraction has had time to be completed.

SERIES NO. II.

11 Sterilized straight teeth used

Prepared by Dr. D.

Root filled by Dr. H.

Tested and cultured by Dr. D.

Root Filling Materials

Rosin-Chloroform

Gutta-percha

			Efficiency
A	Cementum showed a streptococcus growth in.....	70%	30%
B	Dentin showed a streptococcus growth in.....	90%	10%
C	Root filling showed a streptococcus growth in.....	90%	10%
	Apical third.		
D	Root filling showed a streptococcus growth in.....	60%	40%
	Middle third.		
E	Root filling showed a streptococcus growth in.....	40%	60%
	Gingival third.		

Note. These results are immediate before complete contraction, due to evaporation of solvent. Efficiency would be less as time is extended. C, D and E refer to root filling infection.

PRICE.—

No. A B C D

1		+	+	
2				
3	+		+	
4				
5				
6		+	+	
7			+	
8	+		+	
9		+	+	
10			+	
11				
12				
13				
14				
15	+			
16				
17				
18				
19				
20				
Percent				
	15%	15%	35%	

Cementum near apex.
Dentin near apex.
Apical third of root filling.

Note.—Out of twenty cent. These results are

No.	A
1	+
2	+
3	
4	+
5	+
6	+
7	+
8	

Note.—No immediate before after root filling

LATION.

by Drs. Milton J. at the Research J. Hill, a practice by several den- de operations for sults of these are ing tables:

Efficiency	
16%	85%
25%	75%
40%	60%
80%	40%
80%	20%

r one hour. Chloro- as were made under a were placed in ins Teeth were sterilized re immediate before

Efficiency
30%
10%
10%
40%
60%

ration of solvent.

PRICE- PROPERTIES OF ROOT FILLING MATERIALS.

1267

SERIES NO. III.

No.	A	B	C	E	R	Posin and Chloroporch	Chloro- porcha	Paraffin Growth	Efficiency
1		+	+	+	+		+	80%	20%
2							+	0%	100%
3	+		+		+		+	60%	40%
4					+		+	20%	80%
5				+	+		+	40%	60%
6		+	+			+		60%	40%
7			+	+	+			60%	40%
8	+		+	+	+	+		80%	20%
9		+	+	+	+			80%	20%
10			+	+	+	+		80%	20%
11					+			60%	40%
12					+		+	20%	80%
13				+			+	0%	100%
14					+		+	20%	80%
15	+						+	20%	80%
16							+	20%	80%
17				+		+		0%	100%
18				+			+	20%	80%
19						+		20%	80%
20				+			+	0%	100%
Percent	15%	16%	35%	50%	55%	Total 5	13	2	

+ indicates growth.

Crown third of root filling.
Middle third of root filling.
Apical third of root filling.
Dentin near apex.
Crown near apex.

Note.—Out of twenty teeth, only four equalled 100% efficiency, or a net efficiency of twenty per cent. These results are immediate before full contraction of root fillings.

SERIES NO. IV.

Thymoxyl Root Filling.

No.	A	B	C	D	E	F	Growth	Efficiency
1	+	+	+	+	+	+	100%	0%
2	+	+	+	+	+	+	100%	0%
3		+			+	+	50%	50%
4	+		+	+	+	+	80%	20%
5	+	+		+	+	+	80%	20%
6	+	+	+		+	+	80%	20%
7	+	+	+		+	+	80%	20%
8				+		+	30%	70%

Note.—No tooth was free from infection. Net efficiency, 0.0%. These results are immediate before full contraction is possible. Crown ends of roots were covered with paraffin after root filling. + indicates growth.

SERIES NO. V.

No.	Pustolene Root Filling.						Growth	Efficiency
	A	B	C	D	E	F		
			Areas.					
1	+	+	+	+	+	+	100%	0%
2	+	+	+	+	+	+	100%	0%
3	+	+	+	+	+	+	100%	0%
4	+	+	+	+	+	+	100%	0%
5	+	+	+	+	+	+	100%	0%
6	+	+	+	+	+	+	84%	16%
7	+	+	+	+	+	+	84%	16%
8	+	+	+	+	+	+	66%	34%
9	+	+	+	+	+	+	84%	16%
10	+	+	+	+	+	+	100%	0%
11	+	+	+	+	+	+	84%	16%

Note.—Net efficiency, 0.0%. Full contraction of root fillings had not taken place. Crown ends of roots were covered with paraffin to protect the root fillings.

ROOT FILLING AND CROWN FILLING EFFICIENCY TESTS.

SERIES NO. VI. (+ = growth)

- 17 Sterile teeth used. Root filling material chloro-percha and gutta-percha.
 1 to 11 inclusive crown filling made of gutta-percha. Apex exposed.
 12 to 15 inclusive crown filling protected by paraffin coating. Apex exposed.
 16 to 17 entire tooth surrounded by paraffin, except apex. Apex exposed.

No.	Areas					Growth	Efficiency
	A	B	C	D	E		
1		+	+		+	60%	40%
2			+	+	+	60%	40%
3	+	+	+	+	+	100%	0%
4	+	+	+	+	+	100%	0%
5	+	+	+	+	+	100%	0%
6					+	20%	80%
7			+	+	+	60%	40%
8		+	+		+	60%	40%
9				+	+	40%	60%
10	+	+			+	60%	40%
11		+				20%	80%
12	+	+			+	60%	40%
13	+	+	+	+	+	100%	0%
14					+	20%	80%
15	+	+	+	+	+	100%	0%
16		+			+	40%	60%
17	+		+	+	+	80%	20%
	48%	65%	59%	53%	94%		

Note.—Net efficiency 0.0%. Full contraction of root fillings had not taken place.

Made by

Aras

Full e

In ge
 When te
 ing and
 the vari
 of time
 jority w
 of orga
 into ea
 ing ma
 standing
 used o
 results
 teeth, v
 diately
 ture m
 two we
 they ar
 better t
 the roo
 eral m
 for the
 place.
 every t
 not pr
 mouth
 port fo
 and pa
 several
 Is it

SERIES NO. VII.

Made by five different dentists + indicates growth.

Areas	#28	#4	#7	#10	#2	#11	#12	#13
A	+	+	-	+	+	+	+	+
B	+	-	-	+	+	-	+	+
C	+	+	-	-	+	-	-	+
D	+	+	-	-	+	-	-	-
E	+	-	-	+	+	-	-	+
F	+	-	-	+	+	-	-	+

Full contraction had not taken place.

In general the results are as follows: When teeth were sterilized by autoclaving and kept moist until root filled by the various methods, in the short space of time of even two weeks, the great majority were found to permit the entrance of organisms from the external surface into each pulp chamber, the root filling material and the dentin, notwithstanding the filling material and solvent used or its method of insertion. These results were obtained by placing the teeth, which had been root filled immediately or soon, into the infected culture medium for from a few days to two weeks and, accordingly, as bad as they are, these results certainly are much better than they would have been after the root fillings had been in place several months, which time is required for the complete contraction to take place. This suggests also that practically every tooth, the root filling of which is not protected from infection from the mouth by a competent barrier, is a direct port for infection to enter the body thru and past the normal defenses. There are several possibilities to be considered. Is it possible for the body always to

withstand, without injury, the amount of infection that will enter the root when it is filled as well as possible? Is it possible to develop a technic that will




Figure 5.

effectually seal the bacteria from a large proportion of root filled teeth? Is there much hope of effectually filling the tortuous multi-canals of multi-rooted teeth in difficult and almost inaccessible parts of the mouth?

In Figure 5 we show a series of root fillings made by a splendid operator who said he thought he could fill 95% of multi-rooted teeth successfully. These

Efficiency

0%
0%
0%
0%
0%
16%
16%
34%
16%
0%
16%

ken place.

Efficiency

40%
40%
0%
0%
0%
80%
40%
40%
60%
40%
80%
40%
0%
80%
0%
60%
20%

operations, tho better than most operators can make, are practically all failures from the standpoint of mechanically blocking the canals.

The teeth submitted to members of the profession for root filling were nearly all single rooted straight teeth, as shown in Figure 6, which also shows their root fillings.

The physical changes which occur in the various uses of gutta-percha are so great and so important that every dental operator should study them carefully, and for this purpose we give in full Professor Miller's detailed statements.




Figure 6.

Department of Physics
CASE SCHOOL OF APPLIED SCIENCE,
Cleveland, Ohio.

Dayton C. Miller.
Charles D. Hodgman.
Robert E. Snyder.

Report by Dayton C. Miller on the
Expansion of Sheet Gutta-percha, sub-
mitted by Dr. Weston A. Price.

The gutta-percha material is in the
form of sheets about 150x75x0.85 mm.
in size, of two colors, drab and pink.
The purpose of the investigation is to

determine the coefficient of thermal ex-
pansion.

I.

PRELIMINARY VOLUME EXPANSION.

Experiments were made to determine
the volume expansion by placing the
material in a pyknometer bottle and fill-
ing the bottle with water; the bottle was
heated and the relative expansion was
observed on a graduated glass tube. By
computing the expansion of the glass
bottle and of the water, the expansion
due to the gutta-percha was determined.
The same experiments were made by

filling the bottle with mercury instead
of water, but there was great difficulty
due to the air enclosed in the capillary
spaces where the mercury came in con-
tact with the pieces of material. After
much trouble these methods were aban-
doned, since they gave anomalous and
irregular results.

II.

AREA.

Experiments were next made with a
sheet of the pink material about 75 mm.
square. Lines were marked on the sur-

face form
sheet was
ed, and
were mea

The sh
rection w
which it
manufact
ally. Th
in this c
in a repet

Table
ures:

Te
°C
28
36
45
56
64
70
76
78
86
91
99

The
as receiv
der grea
sions bei
normal,
gressivel
ature.

The
blood h
at all re

At 45
slightly
begin to

At 56
relieved
first the
equal st
shrink,

IATION.

nt of thermal ex-

ME EXPANSION.

ade to determine
by placing the
ter bottle and fill-
er; the bottle was
e expansion was
d glass tube. By
ion of the glass
t, the expansion
was determined.
were made by

face forming a square 70x70 mm. This sheet was successively heated and cooled, and the dimensions of the square were measured.

The sheet contracted greatly in the direction which appeared to be that in which it was rolled in the process of manufacture, while it expanded laterally. The thickness was not measured in this experiment, but was measured in a repetition described later.

Table I gives the results of the measures:

sheet shrank about 5 mm. in length, being 65 mm. long, and 72.5 mm. wide.

Measurements were made at 64° C. and then at 70° C. (159° F.) At the latter temperature the material was very pliable, but not sticky. It was found to have changed in dimension to 57.0 mm. x 75.5 mm.

At 76° C. (169° F.) the dimensions were 55.0x76.5 mm. The material became sticky and so soft as to take the impression of the finger tip. It seemed

TABLE I.

SURFACE EXPANSION OF SHEET GUTTA-PERCHA.

Temperature °C	°F	Dimensions after heat treatment	Remarks.
28	82	70 x 70 mm.	Same as at the start.
36	97	70.3 x 70.0	No contraction.
45	113	69.8 x 70.6	Pliable.
56	133	65.0 x 72.5	Sheet warped badly. Contraction so rapid it was clearly visible. Warp disappeared.
64	147	60.4 x 74.0	
70	158	57.0 x 75.5	Very pliable, but not sticky.
76	169	55.0 x 76.5	Begins to stick to plate. Takes impression of finger tips. Too soft for further measures.
78	173	55.0 x 76.5	Same as at 76°.
86	187	55.0 x 76.5	
91	196	55.0 x 76.5	
99.5	211	55.0 x 76.5	Boiled for several minutes.

Area before heating 4900 sq. mm.

Area after heating 4180 sq. mm.

Contraction of area 14.7%.

The results show that the material as received for the supply house is under great internal strain, some dimensions being too great, and some less than normal, and that the strains are progressively released by increasing temperature.

The first observation shows that at blood heat, 36° C., the strains are not at all released.

At 45° C. (113° F.) the material is slightly pliable, and the strains just begin to disappear.

At 56° C. (133° F.) the strains were relieved very considerably, so that at first the sheet was badly warped by unequal strain, and it was easily seen to shrink, with the unaided eye. The

unsuitable for measures at higher temperatures.

However, it was heated to 78° C., 86° C., 91° C. and 99.5° C. (211° F.) the boiling point. The dimensions did not change, but remained 55.0x76.5 mm.

The experiments show a progressive change in dimension beginning at a temperature of about 40° C. (104° F.) and continuing to a temperature of 76° C. (169° F.) In this particular specimen of material, the length of the sheet diminished about 21%, while the width increased about 9%. The area of the sheet diminished 14.7%, due to shrinkage produced by heating.

The actual size of the piece of material at the beginning and at the end of the experiment is shown in Fig. 7.

mercury instead
great difficulty
in the capillary
y came in con-
material. After
sols were aban-
anomalous and

t-made with a
about 75 mm.
ed on the sur-

III.

AREA AND VOLUME.

A second experiment was made with a sheet of pink gutta-percha, as before, using a marked square 70x70 mm. The thickness of the sheet was carefully measured with calipers at eight places, and the average thickness is used in calculating volume. The measurements are shown in Table II.




Fig. 7. Shrinkage in area of a sheet of dental gutta-percha, due to heating to 76°C (169°F).

ued boiling in water for fifteen minutes did not produce any further change.

Taken in connection with the measure of thickness, the observations show that tho the area diminished very much, the volume does not vary appreciably. There is an apparent permanent increase in volume of less than 1%, but this may be due to the fact that the heat slightly roughened the surface, making the thickness appear too great.

IV.

LINEAR EXPANSION.

A piece of the drab colored gutta-percha was subjected to temperature treatment by heating and cooling several times to 55°C. and 75°C. and finally by boiling in water for fifteen minutes, and then it was cooled slowly. Fine marks were ruled near the ends of the sheet, 121.5 mm. apart.

This strip of material was placed on a special warming plate with arrangements for changing and controlling the temperature by circulating hot water.

The apparatus was placed on the Micrometer Microscope Comparator.

The expansion of the gutta-percha

TABLE II.

EXPANSION OF GUTTA-PERCHA.

Temperature	22°C=72°F	56°C=133°F	85°C=185°F	99.5°=211°F Boiling
Length and breadth mm.	70 x 70	65.3 x 71.5	63.0 x 72.5	63.0 x 72.5
Area sq. mm.	4900	4669	4567	4567
Thickness mm.	0.843	0.890	0.916	0.912
Volume cu. mm.	4131	4155	4183	4165

These experiments lead to the same general conclusions as before tho the changes in dimension for this specimen are less than for the first. The length diminished about 10%, while the breadth increased about 3%. The changes had taken place before the temperature of 85°C was reached. Contin-

was directly measured with the micrometer microscope, with as great precision as possible. The observations were taken twice around a cycle of rising and falling temperatures. The average results of the measures are shown numerically in Table III and graphically in Fig. 8.

TABLE III.

LENGTH OF SPECIMEN IN MILLIMETERS.

Temperature °C	°F	Rising Temperature	Falling Temperature
23	73	121.502	121.510
30	86	.551	.683
35	95	.576	.738
38	100	.599	.748
45	113	.690	.759
50	122	.741	.764
55	131	.778	.770
60	140	.794	.780
65	149	.798	.790
76	169	.797	.797

Fig. 4.

The observations show that for rising temperatures the gutta-percha has a coefficient of expansion of 0.0000549 up to about 38° C. (100°F.) and a coefficient of 0.0000807 from 38°C. to about 55°C. (131°F); above 55°C. the expansion is very slow and practically vanishes at 75°C. (167°F). This agrees exactly with the measures made on the area of the sheet material as shown in Table I; the material becomes wholly plastic at




Fig. 8. Linear Expansion of Dental Gutta Percha.

The coefficient of linear expansion and of volume expansion (equal to three times the linear expansion), computed in accordance with the data plotted in Fig. 8, are given in Table IV.

TABLE IV.
COEFFICIENTS OF EXPANSION OF GUTTA-PERCHA.

Temperature °C	°F	Linear Expansion	Volume Expansion
23-38	73-100	0.0000549	0.000165
38-55	100-131	0.0000807	0.000241
55-75		0.000007	0.000021

this temperature. The curve for falling temperatures shows a very decided lag in the contraction at the beginning. This may be due to very poor heat conductivity, which causes the temperature to lag, and it might disappear if the material remained a longer time at each temperature. Common experience with this material shows that after being softened by heat and then being apparently cooled to room temperature, its normal rigidity returns slowly.

V.

REMARKS.

Before being used, this material should be "annealed" by being heated to a temperature of 75°C. (167°F.) Otherwise a long slender cone of the material might be placed in a cavity, and there might later be a contraction in length of 15% which would pull the cone out of the cavity.

If the upper end of the cone were softened with a hot tool, this end would probably be safely sealed.

If a cone of this material were "annealed" and then placed in a cavity at a temperature of 55°C. (131°F.) and then cooled to a temperature of 20°C., there would be a lateral contraction of 0.007 mm. (0.0003 inch) in a cone 3 mm. (about $\frac{1}{8}$ inch) in diameter.

The results of the area measurements, Table I, agree remarkably with the linear expansion observations, Table III, and interpreted in Fig. 8. The material acts like a normal solid up to a temperature of 38°C., expanding at a uniform rate and without the peculiar contraction shown at higher temperatures. At 38°C., it may be that some ingredient of the composition begins to melt, causing a release of any existing internal strain and producing a large contraction in the unannealed and stretched material which wholly masks the regular thermal expansion. After annealing, however, the regular expansion occurs in increased amount from 38° to 55°. Above the latter temperature the material is in no sense a solid.

Respectfully submitted,

(Signed) DAYTON C. MILLER,
Professor of Physics.
Cleveland, Ohio, July 8, 1916.

VI.

ADDITIONAL EXPANSION EXPERIMENTS.

A piece of pink gutta-percha was "annealed" in boiling water for ten minutes with the following results:

The length diminished.....	18.0%
The width increased.....	7.7%
The thickness increased.....	15.9%
The area diminished.....	11.7%
The volume increased.....	2.4%

A piece of drab gutta-percha "annealed" in boiling water for fifteen minutes, was changed as follows:

The length diminished.....	17.4%
The width increased.....	7.6%
The thickness increased.....	14.8%
The area diminished.....	11.2%
The volume increased.....	2.2%

A piece of the latter material was measured as accurately as possible, to determine its volume, which was 4.764 cubic centimeters. The volume was then determined with precision by hydrostatic weighing, giving the results 4.760 cubic centimeters.

This result indicates that the measures so far reported have a precision of about one part in a thousand.

This material was then treated with chloroform, for determining the changes in volume; but the behavior of the solvent was such that it was necessary to proceed by a new method, described in the next section.

VII.

EFFECTS OF CHLOROFORM ON GUTTA-PERCHA.

It was expected that chloroform might be slowly absorbed by the gutta-percha, but the first touch of the liquid produced a true solution, which proceeded very rapidly, the result being a kind of "rub-

ber
mat
orig
T
the
slow
set,
shap
volu
cubi
ing.
T
low
wh
now
T
in t
conc
firm
260
A
and
has
turn
conc
gutta
the
elas
VAR
From
Gu
SH
PH
Ca
Gu
F.
Pa
Whit
Whit
Whit
From
De
De
De
Ch

EXPERIMENTS.

percha was "an-
for ten minutes
s:

.....18.0%
..... 7.7%
.....15.9%
.....11.7%
..... 2.4%

ta-percha "an-
for fifteen min-
lows:

.....17.4%
..... 7.6%
.....14.8%
.....11.2%
..... 2.2%

material was
as possible, to
ich was 4.764
lume was then
by hydrostat-
ults 4.760 cu-

hat the meas-
a precision of
and.

a treated with
g the changes
for of the sol-
s necessary to
, described in

ON GUTTA-

oform might
gutta-percha,
paid produced
exceeded very
kind of "rub-

ber paint." Any portion of the original material not yet dissolved retained its original elastic properties.

The material was wholly dissolved, and the solvent was allowed to evaporate slowly until the solution just began to set, and was just firm enough to hold its shape but could be easily indented. The volume of this thick solution was 11.085 cubic centimeters, by hydrostatic weighing.

This amount of material was then allowed to dry thoroly, the solvent being wholly evaporated. The volume was now 4.267 cubic centimeters.

There is thus an expansion of volume in the gutta-percha from a solid to the condition of a solution which is just firm enough to hold its shape, of about 260%.

After being dissolved in chloroform and then being dried till the solvent has all evaporated, the gutta-percha returns practically to its original elastic condition. In its original condition the gutta-percha is elastic and tenacious; the material dissolved and dried is inelastic and breaks very easily.

VARIOUS COEFFICIENTS OF LINEAR EXPANSION.

From Smithsonian Physical Tables: (dimension change for temperature change of 1°C).

Gold		0.000014
Silver		0.000019
Platinum		0.000008
Caoutchouc,	16°-25°	0.000077
Gutta Percha,	20°	0.000198
Paraffin,	16°-38°	0.000130
Paraffin,	38°-49°	0.000477
White Wax	26°-31°	0.000312
White Wax	31°-43°	0.000486
White Wax	43°-57°	0.001523

From the experiments here reported:

Dental Gutta-Percha	22°-38°	0.000055
Dental Gutta-Percha	38°-55°	0.000087
Dental Gutta-Percha	55°-75°	0.000097

Respectfully submitted,

(Signed) DAYTON C. MILLER,
Professor of Physics.

Cleveland, Ohio, July 17, 1916.

Department of Physics

CASE SCHOOL OF APPLIED SCIENCE,
Cleveland, Ohio.

Dayton C. Miller.

Paul E. Sabine.

Charles D. Hodgman.

George B. Obear.

REPORT BY DAYTON C. MILLER ON SOME PHYSICAL PROPERTIES OF DENTAL ROOT-FILLING MATERIALS.

I. GENERAL PROPERTIES.

Investigations were undertaken to determine the volume, density, contraction, hardness, and general consistency of several materials used by the dental profession for filling root cavities. The three materials tested were submitted by Dr. Weston A. Price and are described as follows:

A. Rosin dissolved in chloroform.

B. Gutta-percha dissolved in chloroform and eucalyptol oil, a proprietary preparation known as "Eucapercha."

C. Gutta-percha dissolved in chloroform.

The first efforts were made to determine the rate of contraction, the density, and the firmness of the material, from its fluid condition as put into a tooth cavity, to the condition of being solid. To secure accuracy, and at the same time to approximate the form of a root filling, the materials were placed in cylindrical glass graduates each of a normal capacity of 10 cubic centimeters, but actually holding about 13 cubic centimeters. Each jar was provided with a glass cover having a ground joint, and was accurately calibrated. Fig. 9, shows the three jars, containing the materials, after some evaporation had taken place as described later.

After careful weighing, the covers from the glasses were removed and the solvents were allowed to evaporate at room temperature, standing in the sun-

light when practicable, (in May and June.) It was thought that the materials would shrink steadily in volume, and become solid in a few days' time; and by making weighings, volume tests and hardness tests at successive stages, the information sought could be secured. This expectation was not realized, for the evaporation proceeded very slowly, and for the gutta-percha materials in a very non-uniform manner.

After eight weeks of spontaneous evaporation in the air at room tempera-

upon examination with a hard instrument, it was shown to be only a thin shell of hard rosin, not more than a half millimeter thick, while below this the material was still in a very fluid condition. The consistency of this fluid was that of a thin syrup, such as common maple syrup.

The *Euca-percha* had contracted much less, to about 86% of its original volume, indicated by the arrow. For about 12 millimeters near the top, the substance had assumed the consistency of dry chalk, a fine granular condition, and it had dried with the formation of cracks, like clay. Below this chalky deposit the material was in its original fluid condition with no evident thickening.

The *gutta-percha-in-chloroform* had contracted to about 75% of its original volume. The upper surface was hard gutta-percha. Upon touching this surface, it tipped over revealing the formation of a "plug" about 2 millimeters thick, with large irregular air spaces beneath. The material was, however, very fluid in the interior of the portions which appeared to be solid, and in the bottom of the jar it was as fluid as at first.

These results indicated that the necessity of forced evaporation, and the jars were placed in a water bath and subjected for various times to temperature of about 70°C. (169°F.) and 96°C (205°F.)

The conditions of these tests are best described for each material separately.

2. ROSIN-IN-CHLOROFORM.

The rosin-in-chloroform at the beginning of the experiments was a mobile fluid of the consistency of sewing machine oil, having a density of 1.382. After two weeks of spontaneous drying its volume was reduced by about one-third, and the density was 1.358. The conditions of the material at the various stages of the experiments are shown in tabular form, Table V.




Fig. 9. Jars Containing Root-Filling Materials.

ture, the jars remaining uncovered during the whole time, the conditions were as shown in Fig. 9.

The *rosin-in-chloroform*, had steadily contracted in volume, but very slowly in the last three weeks. It was reduced to about one-third of the original volume, the surface being at the level indicated by the arrow at the side of the jar, the measured volume being 36% of the original. The inner surface of the jar above the mass of rosin was covered with a firm, adherent coating of rosin, which shows in the photograph as a discoloration of the jar above the arrow. The surface of the rosin was hard, but

As material on the the pl cloudy the li coat cavity and v in de solid perati

Fig.

as s um by den fied exp cate eve per dro con

ter me su sol

As the evaporation proceeded, the material left a tenaciously adhering coating on the walls of the jar, which shows in the photographs, Figs. 9 and 10, as a cloudy appearance of the glass jar above the line of the solid portion. It forms a coat of rosin-paint on the inside of the cavity which seems to be very permanent and which may be of great importance in dental uses. The evaporation to the solid state required long heating at temperatures much above body-temperatures




Fig. 10. Rosin-in-Chloroform. Evaporated in jar.

as shown by the Table. The final volume was 24.6% of the initial, as shown by the arrow in Fig. 10, and the final density is 1.14. The density of purified "violin bow rosin" was determined experimentally to be 1.07. This indicated the presence of some of the solvent even at the end of the experiment; or perhaps, the continued heat treatment drove off some of the natural, lighter, components of the rosin.

Experiments have been made to determine whether the rosin will harden more rapidly in water, on the possible supposition that water dissolved the solvent.

The results show that the water retards hardening, by preventing the evaporation of the solvent, and that its absorbing effect, if any, is imperceptible.

3. EUCAPERCHA.

The eucapercha material used was in the original package, which had not been opened. The glass jar was filled with the material, there being 12.75 cubic centimeters at the beginning, the density being 1.432. The results of the experiments at the four principal stages are shown in Table VI. The appearance




Fig. 11. Eucapercha. Evaporated.

after 8 weeks of spontaneous drying is shown by the middle jar in Fig. 9, and the material fully dried is shown in Fig. 11.

The peculiarities of this material showed in a tendency to curdle, or become granular (soft granules), and in drying on the surface to separate, forming drying cracks. The solvent seems to have destroyed to some extent the rubbery texture of the gutta-percha. This remains in the material when fully dried; it is much less tenacious than the gutta-percha treated with chloroform.

The material, in drying, contracts in about the same proportion as does the rosin, but it adheres very lightly, or not at all, to the walls of the glass jar. When

completely dried it is easily removed from the glass, the latter being left clean. This is in marked contrast to the rosin.

4. GUTTA-PERCHA-IN-CHLOROFORM.

The gutta-percha was dissolved in chloroform, producing a white paint, similar in appearance to the Eucapercha. The conditions of the material at the various stages are given in Table VII, and the final appearance is shown in Fig. 12.

This material dried by forming a hard surface layer, like ice, which even when thin, would almost wholly prevent



Fig. 12. Gutta-Percha-in-Chloroform. Evaporated.

further evaporation of the solvent. This action would be complete except for the contraction of the partly solidified material, which pulls away from the glass, and allows further evaporation thru the opening. This further evaporation takes place in pockets, producing a porous or cellular solid. This is clearly shown in the picture of the final condition, Fig. 12.

When the material dries in the bottle, it shrinks away from the edges and rounded corners, and does not form the inner pockets.

The peculiarities of this material are that it remains tenacious and rubber-like even tho it becomes filled with air bubbles; it does not become granular; and it does not adhere to the glass jar.

5. GENERAL REMARKS.

The first noticeable fact in the experiments was the extreme slowness with which evaporation proceeded under spontaneous air drying. It would have required a year, or more, for the materials in the jar to have solidified. Even when heat of 70°C. (169°F.) was applied, the process was not much accelerated. A temperature of boiling water was required, and this was sufficient to melt the rosin and to soften the solid gutta-percha.

It is not improbable that the rate of drying in a tooth-cavity, the walls of which are more or less porous, would be different from that in a glass jar. It is possible that the body-fluids may affect the rate; but experiments show that the placing of the material in water does not assist hardening, but rather prevents it.

A conspicuous physical property of the materials is the great contraction in volume, the final volume in one instance being less than a fourth of the original volume.

Both of the gutta-percha materials not only contract in volume, but in doing so they fail to adhere to the surface of the jar, leaving it clear of protecting covering, and the materials become porous or granular in structure. It would seem that these properties would render the materials useless for the filling of root cavities. As an illustration it may be assumed that root canals have diameters varying from 0.001 inch to 0.015 inch that is from 0.025 millimeters to 0.375 millimeters, and that bacteria may have a size varying from 0.0005 mm. to 0.005 mm. The possible contraction of fluid gutta-percha root-filling material in the smallest root canal may be 0.005 mm. while for a large canal it may be over 0.075 mm.; these contractions are much larger than the sizes of bacteria. While these statements of the contractions are not exact because of the uncertainties in the manner of drying, yet it is certain

that t
against
The
from tl
mains
inner :
receded
time l
whole
mains
where

Test

a O

b A

c A

d A

e A

f A

g A

h A

i A

Test

a

b

c

d

TION.

MARKS.

act in the extreme slowness proceeded under It would have for the material solidified. Even 9 F.) was ap- ot much accel- f boiling water as sufficient to often the solid

hat the rate of , the walls of porous, would be glass jar. It fluids may af- ents show that erial in water but rather pre- al property of contraction in in one instance of the original

a materials not but in doing so surface of the protecting cover- come porous or It would seem uld render the filling of root ion it may be have diameters to 0.015 inch eters to 0.375 teria may have 5 mm. to 0.005 action of fluid material in the be 0.005 mm. It may be over ions are much eteria. While contractions are e uncertainties et it is certain

that there will be little protection against the entrance of bacteria.

The rosin solution when drying differs from the other in that a solid coating remains tenaciously adherent to the whole inner surface from which the fluid has receded, and the solid does not at any time part from the walls. Thus the whole inner surface of the cavity remains protected, and no cracks are left where bacteria may enter thru the small

canal. There is an inner hollow space, but it is wholly surrounded by the painted walls, and closed at the bottom by the solid.

These conclusions, however, are not final in regard to the filling of teeth, for the conditions in a living tooth are certainly different from those in the glass jar. But the facts of physical contractions, etc., are exactly the same in the two cases.

TABLE V.

ROSIN-IN-CHLOROFORM.

Test	Treatment	Density	Per cent of first volume	Per cent of final volume	Remarks on Condition.
a	Original material	1.382	100	406	Mobile fluid. Consistency of sewing machine oil.
b	After air drying for 2 wks.	1.358	65.5	266	Not noticeably different from first.
c	After air drying for 5 wks.	1.276	59	236	Consistency of thin syrup.
d	After air drying for 8 wks.	1.250	36.4	148	Layer of hard rosin tenaciously adheres to glass as fluid subsides.
e	After 25 hr. at 70°C (169°F)	1.230	34	139	Thick syrup, like common molasses. A layer of solid formed on top, like thin ice on water. Solid very thin.
f	After 60 hr. at 70°C	1.182	28	114	Like soft wax.
g	After 2 hr. drying at 96°C (205°F)	1.17	27.6	112	Rosin melted, so that whole becomes fluid. Upon cooling a surface layer of "ice" forms.
h	After 18 hr. drying at 96°C (205°F)	1.14	24.9	101	Very thick and sticky.
i	After 20 hr. drying at 96°C (205°F)	1.14	24.6	100	Solid but not brittle. Dark colored. Adheres tenaciously to glass over the whole interior of jar.

TABLE VI.

EUCAPERCHA.

Test	Treatment	Density	Per cent of first volume	Per cent of final volume	Remarks on Condition.
a	Original material	1.432	100	417	Consistency of paint. Very "soft" but not mobile.
b	After 8 wks. of spontaneous drying	1.486	87	362	Chalky at top for a depth of 12 m. m. with drying cracks. Below, of the original fluid consistency.
c	After drying 60 hrs. at 70°C (169°F)	1.530	80	333	Consistency of slightly curdled milk. Very little stickiness. Still "soft" to the touch, but not mobile.
d	After drying 20 hrs. at 96°C (205°F)	2.870	24	100	Solidified in lumpy or curdled form. Solid, but easily pulled apart. Does not adhere to the glass.

TABLE VII.

GUTTA-PERCHA-IN-CHLOROFORM.

Test	Treatment	Density	Per cent of first volume	Per cent of final volume	Remarks on Condition.
a	Original material	1.899	100	300	Consistency of paint.
b	After 8 wks. of spontaneous drying	2.02	76	230	A "plug" of solid gutta-percha on the top about 1 m. m. thick. Plug was tipped over, revealing fluid below, with air pockets forming.
c	After drying 60 hrs. at 70° C (160° F)	2.86	33.3	100	
	Residue of material left in bottle. Dried spontaneously. Original diameter 3.02 cm. Original thickness 1.29 cm.	2.86	33	100	Solidified. Consistency of original gutta-percha. Does not adhere to the glass. Upon removal from the jar it was found with many air bubbles. See photograph.
					Dried in a solid cake in the saucer-like bottom of the bottle. Final diameter, 2.42 cm. 80% of orig. Final thickness, 0.68 cm. 53% of orig. Final volume, 3.09 cm. 53% of orig.

NOTE.

Density of violin-bow-rozin.....1.07
 Density of Chloroform.....1.48
 Density of Ether.....0.72
 Density of Gutta-percha.....2.90

Respectfully submitted,

(Signed.) DAYTON C. MILLER,
 Professor of Physics.
 Cleveland, Ohio, August 3, 1918.

It will be seen from the above detailed physical report by Dr. Miller, that we are using materials which do not have the properties that our needs require. While contraction begins at once, it will continue slowly for months and possibly for years. This probably explains why so many root-filled teeth which at first seem normal fail months or years after root filling. Exhaustive researches should be made to develop adequate root filling materials.

The human body is an hermetically

sealed container, the alimentary tract being an infolded tube and continuous with the exterior. Pulpless teeth are openings thru nature's protective armor and as such will be the port of entrance of infection into the body, unless they are hermetically sealed. These studies show that it is extremely difficult and in many teeth impossible to accomplish this with the methods and materials in vogue. Until we can do very much better than this report shows, no dentist is justified in devitalizing a healthy pulp except in case of most extreme necessity, and seldom, if ever, for ordinary bridge work. Every non-vital tooth, whether root filled or not, is, by the above, to be considered under suspicion and must be kept under observation. An apparently-tolerant nature has been entitled to much of the credit for the seeming success of dental root fillings. We have still to learn when nature is only apparently tolerant.